

Multifunctional Body Filler

N60-V20

NORBIN Multifunctional Body Filler + Hardener

Application: Multifunctional Body Filler VOC **Key Features:** Good filling and sanding features.

Storage temperature 5-40 °C
Shelf life 12 months

Handling



Suitable surfaces:

Direct application to old paint, steel, galvanized steel and aluminium.



100 % by weight NORBIN N60-V20 Multifunctional Body Filler

2-3 % by weight NORBIN Body Filler Hardener



Potlife after mixing: 4 – 6 minutes at room temperature

Drying time at 20° C: 20 - 30 minutes

60°C: 10 minutes

Potlife and drying time depending on room temperature and mixing ratio.



Orbital sanding, dry

P80/P120/P240/P320

Please note: For automotive refinish, repair instructions of vehicle manufacturers, in particular regarding installed sensor technology, must always be observed in addition to the processing instructions given within this document.

Safety advice:

Flammable. Observe label precautions.

2004/42/IIB(b)(250)249: The EU limit value for this product (product category: IIB.b) in ready-for-use form is max 250 grams of VOC per liter. The VOC content of this product is 249 g/l. It cannot be ruled out that this product contains particles < 0.1 μ m. The products are suitable for professional use only. For the use of this product please adhere to the actual safety recommendations and the personal protective equipment.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.

page 1 of 1 01/2023